

**POWER PACK 12VDC @ 1 AMP  
240VAC UK  
17-2004-07**

The Accu-Time (PN 17-2004-07) power pack is a twelve- (12) volt DC (Direct Current) source. Abiding by United Kingdom standards, this power source provides the necessary voltage level to power up Accu-Time Data Collection Terminals (DCT), auxiliary peripheral devices, and communication converters.

The primary, or input, to this power pack accommodates a 50 Hertz 240 volt AC (Alternating Current) line level. The pack delivers an unregulated output, or secondary level, of 12 volts DC at 1 ampere of current.

The Accu-Time 12VDC British power pack is an approved Class 2 Transformer assembly listed by CE mark in compliance with EMC and Low Voltage (LV) directives.

Housed in a black high impact sealed plastic casing, the Accu-Time 12VDC @ 1 amp power pack comes equipped with a six- (6) foot output cord and 2.5mm inner diameter termination plug (5.5mm outer diameter). This female barrel plug is center conductor positive and mates to the entire Accu-Time product line. The input connector consists of three prongs that comply with British characteristics.

**GENERAL SPECIFICATIONS**

**Physical-**


Dimensions: 3.45"L x 2.25"W x 2.15"H  
(8.76cmL x 5.72cmW x 5.46cmH)  
Weight: 1.15 lbs. (0.52 kg.)  
Enclosure: Black high impact plastic

**Environmental-**

Operating Temperature: 32° to 110°F (0° to 45°C)  
Relative Humidity: 20-90% Non-condensing

**Operating Parameters-**

Power: Primary 240VAC 50Hz  
Secondary 12VDC +- 5% @ 1 amp



17200407